



LED LIGHT BAR MOUNT - FORD E-SERIES

WARNING! READ ALL INSTRUCTIONS BEFORE BEGINNING INSTALLATION
CONFIRM MEASUREMENTS BEFORE DRILLING ANY HOLES

PARTS LIST:

FRONT

- 2** LED LIGHT BAR MOUNTS
- 2** HARDWARE KIT
 - 4** 1/4" - 20X1 BOLT
 - 8** 1/4" WASHER
 - 4** 1/4"-20 NYLOC NUT

TOOLS NEEDED:

- FRONT:
 - SMALL PRY BAR
 - FLAT HEAD SCREWDRIVER
 - 10MM
 - 7/16 SOCKET/WRENCH
 - SHARPIE
 - DRILL
 - STEP UP DRILL BIT

INSTALLATION INSTRUCTIONS

DISASSEMBLY**STEP 1:**

Park vehicle on flat ground

**STEP 2:**

Open hood of vehicle and remove the 4 plastic tabs & single 10mm bolt on the top of the grill

**STEP 3:**

Pull the grill slightly forward to gain access to the bottom tabs of the grill

With a flat head screwdriver pry tabs to free the grill



DISASSEMBLY**STEP 4:**

Fully remove grill

**STEP 5:**

Use the existing tab on the radiator core support to mount your brackets

There are already existing holes you can mount to but depending on the height you want your light, you may need to drill your own holes

**STEP 6:**

Bolt on the light brackets with your 1/4" hardware.
Tighten with 7/16 socket and wrench



DISASSEMBLY**STEP 7:**

Once hardware is tight, place your light bar in place to ensure your light bar is centered, place the grill back on to verify

**STEP 8:**

Once proper placement is achieved with a sharpie mark your drilling points

**STEP 9:**

Drill your holes



INSTALLATION**STEP 10:**

Bolt your lightbar to your brackets

**STEP 11:**

Make any final adjustments

**STEP 12:**

Reinstall grill and install is complete

